

BL/EMD/HOPB/F 04/FY-2024-25/018

Date: 14/08/2024

To
The Unit Head - Godhra Division,
GPCB, Paryavaran Bhavan, Sector-10/A,
Gandhinagar - 382 010
E-mail:- uh-gpcb-godh@gujarat.gov.in

Sub.: Environmental Statement Report in Form - V for the FY: 2023- 2024 of M/s. J.K. Cement Limited, Balasinor (Gujarat).

Ref.: 1. CCA-Amendment No.: AWH-109494, Dated of issue: 28/09/2020; Issued vide order No.: GPCB/CCA-PN-705/ID: 69109/569239, Dated: 05/10/2020.
2. CCA-Amendment No.: AH-115081, Dated of issue: 23/08/2021; Issued vide order No.: GPCB/CCA-PN-705/ID: 69109/606300, Dated: 17/11/2021.
3. CCA-Amendment No.: H-117888, Dated of issue: 30/03/2022; Issued vide order No.: GPCB/CCA-PN-705/ID: 69109/638057, Dated: 07/04/2022.
4. CCA-amendment No.: A-130670, Date of Issue: 01/12/2023; Issued vide order No.: GPCB/CCA-PN-705(2)/ID:69109, Dated: 13/12/2023

Dear Madam,

Kindly refer to the above mentioned subject matter and referred letter, we are submitting herewith the Environment Statement Report in Form -V of M/s. J.K. Cement Limited, Balasinor (Gujarat) for the FY: 2023-2024 for your kind reference and record please.

We trust you will find the same in order.

Thanking you,
Yours faithfully,

For, J.K. Cement Limited, Balasinor

Khemendra Pal Singh
Unit Head



Encl.: As above.

Cc to: The Regional Officer, Gujarat Pollution Control Board, Plot No. 1403, Opp. GIDC office, GIDC, Halol-389 350 Dist. Panchmahals (Gujarat).

E-mail:- ro-gpcb-godh@gujarat.gov.in

Corporate Office

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India
+011-49220000
admin.padamtower@jkcement.com
www.jkcement.com



**JK SUPER
CEMENT**
BUILD SAFE

**JK CEMENT
WallMaxX**
White Cement Wall Putty

Manufacturing Units at :
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)



Registered Office : Kamla Tower, Kanpur-208001, U.P., India. +91-512-2371478 to 85 | 91-512-2399854 | www.jkcement.com

ENVIRONMENTAL STATEMENT

FORM - V

Environmental Statement for the financial year 2023-24, ending the 31st March' 2024

PART-A

i. Name an address of the owner/occupier of the industry operation or process	J. K. Cement Limited (Clinker Grinding Unit) (A Unit of JK Cement Limited), At Village: Vadadala, Tehsil: Balasinor, District: Mahisagar (Gujarat)
ii. Industry category Primary - (STC Code) Secondary - (STC Code)	Primary
iii. Production Capacity	Cement - 1.00 Million TPA (94,500 MT Per Month)
iv. Year of establishment- (UNIT WISE)	7 th October, 2020
v. Date of last environmental statement submitted	30 th September, 2023

PART-B

WATER AND RAW MATERIAL CONSUMPTION

i. WATER CONSUMPTION (in m³/day)

Process : 32.12 M³/Day

Domestic : 18.86 M³/Day

Name of products	Process water consumption per unit of products	
	During the previous financial year 2022-23 (KL/MT)	During the current financial year 2023-24 (KL/MT)
1. Pozzolana Portland Cement (PPC)/Ordinary Portland Cement (OPC)	0.0093	0.0099

Corporate Office

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India
+011-49220000
admin.padamtower@jkcement.com
www.jkcement.com



Manufacturing Units at :
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)



Registered Office : Kamla Tower, Kanpur-208001, U.P., India. +91-512-2371478 to 85 +91-512-2399854 www.jkcement.com


ii. RAW MATERIAL CONSUMPTION

Name of Raw Material	Name of products	Consumption of Raw Material per unit of output	
		During the financial year 2022-23	During the current financial year 2023-24
Clinker	Cement	0.56	0.5599
Gypsum		0.09	0.0955
Fly Ash		0.35	0.3446

PART-C
POLLUTION DISCHARGE TO ENVIRONMENT / UNIT OF OUTPUT

Pollutants	Quantity of pollutants discharged (Ton/Day)	Concentration of pollutants in discharge (mg/Nm ³)	Percentage of variation from prescribed standards with reasons
(a) Water	Cement Grinding Unit is being operated on dry process technology hence no liquid effluent is generated.		
	Domestic wastewater generated from the office toilet and pantry are being treated in the existing 10 KLD STP (Sewage Treatment Plant). STP treated water quality results are given below: -		
	J. K. CEMENT LIMITED , BALASINOR ANALYSIS OF SEWAGE WATER (STP OUTLET) FY 2023-24		
	S. No.	Parameters	Average Result
	1	pH	7.46
2	Bio-Chemical Oxygen Demand (BOD) (3 Days at 27 ⁰ C) mg/l	19.90	
3	Total Suspended Solids (TSS) mg/l	22.75	
4	Fecal Coliform (FC) (Most Probable Number 100 milliliter, MNP/1000 ml)	43.75	
(b) Air	1. Stack Emission Monitoring Report is attached as Annexure - I. 2. Ambient Air Monitoring Report is attached as Annexure - II. 3. Ambient Air Noise Monitoring Report is attached as Annexure - III.		

Corporate Office


 Padam Tower, 19 DDA Community Centre
 Okhla, Phase - 1, New Delhi - 110020, India
 +011-49220000
 admin.padamtower@jkcement.com
 www.jkcement.com

**JK SUPER
CEMENT**
 BUILD SAFE

Manufacturing Units at :
 Nimbahera, Mangrol, Golan (Rajasthan) | Muddapur (Karnataka)
 Jharti (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

**JK CEMENT
WallMax**
 Whole Cement Wall Putty



Registered Office : Kamla Tower, Kanpur-208001, U.P., India. +91-512-2371478 to 85 +91-512-2399854 www.jkcement.com

PART-D

(As specified under Hazardous & Other Waste Management Rules' 2016)

Hazardous waste	Total Quantity	
	During previous financial year 2022-23	During current financial year 2023-24
(a) From Process	Used oil (5.1) – 4.280 MT Waste oil (5.2) – NIL Empty Barrels (33.1) - NIL Cont. cotton rags (33.2) - NIL	Used oil (5.1) – 1.990 MT Waste oil (5.2) – NIL Empty Barrels (33.1) - NIL Cont. cotton rags (33.2) - NIL
(b) From Pollution Control facilities	NIL	NIL

* Hazardous waste generated will be sold to registered recycler authorized by CPCB/GPCB.

PART-E SOLID WASTE

Source	Total Quantity	
	During previous financial year 2022-23 (MT/Year)	During current financial year 2023-24 (MT/Year)
(a) From process	Nil	Nil
(b) From pollution control facility	Dust collected in bag house and bag filters are recycled into the system	Dust collected in bag house and bag filters are recycled into the system
(c) Quantity rejected or reutilized with in the unit	100%	100%

Other Waste

Name of solid waste	Total Quantity Disposal	
	During previous financial year 2022-23 (MT)	During current financial year 2023-24 (MT)
Metal Scrap	37.340	23.39
Wooden Scrap	7.640	4.79
Cable Scrap	3.250	NIL
Torn PP Bags & Other Plastic Waste	15.260	9.44
Filter bags scrap	1.610	0.569

Corporate Office

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India

+011-49220000

admin.padamtower@jkcement.com

www.jkcement.com



JK SUPER CEMENT
BUILD SAFE

Manufacturing Units at :
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

JK CEMENT WallMax X
Waste Cement Kool Purik



Registered Office : Kamla Tower, Kanpur-208001, U.P., India. +91-512-2371478 to 85 +91-512-2399854 www.jkcement.com

PART-F

PLEASE SPECIFY THE CHARACTERISATIONS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES.

- 1) Hazardous waste generated in the form of used / spent oil, waste / residue containing oil, which is stored in barrels at safe & dedicated Storage area and being sold to registered recycler.
- 2) Dust collected from pollution control equipment's (i.e. from Bag house and Bag filter) is being 100% recycled in the manufacturing process.

PART-G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.

Cement manufacturing is a dry process technology, hence no effluent generation is there from process. It is a cost effective and environmentally clean technology. The stack emissions from the plant are controlled with the help of Air pollution control devices like Bag house/filters installed at various material transfer points and process stack to arrest the fugitive emissions. The particulate matter collected from the pollution control equipment is recycled in process and optimizing the cost of operation of pollution control equipment, conserving natural raw material and hence no impact on the environment. Domestic effluent generated from office building / plant premises being treated in existing STP and treated water is being reused in dust suppression & trees plantation/gardening.

PART-H

ADDITIONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION.

- 1) Closed clinker storage silo is constructed to reduce the fugitive dust emission, with sufficient Bag filters.
- 2) Fly ash is stored in closed silo constructed to reduce the fugitive dust emission, with sufficient Bag filters.
- 3) Gypsum is stored in a covered raw material yard to reduce the fugitive dust emission.
- 4) Rs 5.36 lakh incurred to control the air pollution through replacement of bags in bag house and bag filters.
- 5) Rs. 1.44 lakh incurred in water and noise pollution control measures.
- 6) Rs. 1.06 lakh incurred in plantation to develop and maintain the green belt.

Corporate Office

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India

+011-49220000

admin.padamtower@jkcement.com

www.jkcement.com



**JK SUPER
CEMENT**
BUILD SAFE

Manufacturing Units at :
Nimbahera, Mangrol, Golan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

JK CEMENT
WallMax X
White Cement With Fluff



Registered Office : Kamla Tower, Kanpur-208001, U.P., India. +91-512-2371478 to 85 +91-512-2399854 www.jkcement.com

PART-I**ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF ENVIRONMENT**

- 1) Monitoring of stack emission and ambient air and water quality is being done regularly as mentioned in consent to operate.
- 2) 3 Nos. of Ambient Air Quality Monitoring Systems have been installed at periphery of the plant.
- 3) Continuous Emission Monitoring Systems (CEMS) for PM have been installed at stack of Cement Mill and real time data transfer to Pollution Control Board server is being ensured.
- 4) Bag Filters have been installed at various material transfer points to control fugitive emissions.
- 5) Cement is being manufactured through dry process technology and there is no any effluent generated from the process hence maintaining Zero Liquid Discharge (ZLD) unit.
- 6) Fly ash purchased from nearby Thermal Power Plant and use for cement production of PPC.
- 7) Raw materials are stored in covered shed, product in closed silo with high efficient Bag Filters for control of fugitive dust emission.
- 8) Proper housekeeping is being maintained with the help of Road Sweeping Machines.
- 9) Covered conveyor belts are provided for material transfer and are equipped with Bag filters at all material transfer points.
- 10) Cemented Road is constructed to avoid fugitive dust generation during the movement of vehicle.
- 11) Online Digital Water Level Recorder is installed for ground water level monitoring.
- 12) Industry has constructed 05 Nos. of Rain Water Harvesting Structures in plant to recharge ground water.
- 13) Total 10821 nos. of tree sapling has been planted inside the plant premises by covering 2.64 ha. area and achieved the ~33% of greenbelt/ plantation area. Total plant area is 8.06 hectares.

Yours faithfully,

J. K. Cement Limited, Balasinor

Khemendra Pal Singh
Unit Head

Corporate Office

- Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India
- +011-49220000
- admin.padamtower@jkcement.com
- www.jkcement.com

**JK SUPER
CEMENT**
BUILD SAFEManufacturing Units at :
Nimbahera, Mangrol, Golan (Rajasthan) | Muddapur (Karnatak)
Jharti (Haryana) | Kotni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)JK CEMENT
WallMax
Slogan: Cement Wall Party

Registered Office : Kamta Tower, Kanpur-208001, U.P., India. +91-512-2371478 to 85 +91-512-2399854 www.jkcement.com

Annexure-I
J. K. CEMENT LIMITED, BALASINOR
Cement Mill Stack Emission Monitoring Results for FY: 2023-24

Month	PM (Monthly average in mg/Nm ³)	PM (TPD)	PM (TPM)	PM (Kg/Tons of Cement)	% variation from prescribed standard
Apr-23	6.30	0.01	0.06	0.159	-23.70
May-23	6.68	0.01	0.08	0.150	-23.33
Jun-23	4.50	0.01	0.04	0.222	-25.50
Jul-23	5.15	0.01	0.05	0.194	-24.85
Aug-23	6.68	0.01	0.07	0.150	-23.33
Sep-23	4.23	0.01	0.04	0.237	-25.78
Oct-23	5.98	0.01	0.05	0.167	-24.03
Nov-23	5.38	0.01	0.05	0.186	-24.63
Dec-23	5.23	0.01	0.06	0.191	-24.78
Jan-24	6.78	0.01	0.06	0.148	-23.23
Feb-24	6.03	0.01	0.06	0.166	-23.98
Mar-24	5.50	0.01	0.06	0.182	-24.50

Corporate Office

● Padam Tower, 19 DDA Community Centre
 Okhla, Phase - 1, New Delhi - 110020, India
 ☎ +011-49220000
 ✉ admin.padamtower@jkcement.com
 🌐 www.jkcement.com



**JK SUPER
 CEMENT**
 BUILD SAFE

Manufacturing Units at :
 Nimbaheera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
 Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

**JK CEMENT
 WallMaxX**
 White Cement Wall Putty



Registered Office : 🏢 Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ 91-512-2399854 🌐 www.jkcement.com

Annexure-II
J. K. CEMENT LIMITED, BALASINOR
AMBIENT AIR QUALITY MONITORING DATA FOR THE FY 2023-24

 (Unit: $\mu\text{g}/\text{m}^3$)

MONTH	Near STP Plant Eastern Boundary				Near Project Office, North Direction				Near Security Tower, South Direction			
	PM10	PM2.5	SO2	NOx	PM10	PM2.5	SO2	NOx	PM10	PM2.5	SO2	NOx
Apr-23	47.26	31.78	11.60	20.34	50.63	34.30	11.71	22.17	48.94	24.03	10.08	16.40
May-23	38.72	24.68	10.86	15.21	37.52	23.05	13.30	21.45	34.32	29.11	14.76	20.81
Jun-23	38.95	24.05	12.21	21.15	35.44	25.62	11.96	22.11	38.73	24.67	10.04	21.06
Jul-23	43.30	31.47	11.93	20.93	46.32	36.52	11.71	22.17	40.33	24.03	10.08	16.40
Aug-23	38.72	24.68	10.86	15.21	37.52	23.05	13.30	21.45	34.32	29.11	14.76	20.81
Sep-23	38.95	24.05	12.21	21.15	35.44	25.62	11.96	22.11	38.73	24.67	10.04	21.06
Oct-23	38.08	35.11	11.51	20.18	41.47	28.47	11.71	22.17	26.55	24.61	10.16	16.53
Nov-23	37.30	26.27	10.78	15.14	37.50	29.06	11.02	14.68	36.87	28.40	10.90	14.42
Dec-23	44.20	31.96	11.69	8.98	42.34	30.09	11.41	8.77	33.80	33.24	12.14	8.48
Jan-24	37.03	26.30	11.57	21.55	37.87	34.67	12.70	20.27	38.12	31.98	12.10	12.11
Feb-24	44.47	30.59	11.68	21.64	36.37	32.08	12.78	20.40	43.27	25.44	12.05	12.10
Mar-24	37.94	29.70	8.67	14.92	30.89	33.22	12.69	19.26	35.17	25.05	10.89	11.63
Average	40.41	28.39	11.30	18.03	39.11	29.65	12.19	19.75	37.43	27.03	11.50	15.99

Corporate Office

● Padam Tower, 19 DDA Community Centre
 Okhla, Phase - 1, New Delhi - 110020, India
 ☎ +011-49220000
 ✉ admin.padamtower@jkcement.com
 🌐 www.jkcement.com



**JK SUPER
 CEMENT**
 BUILD SAFE

**JK CEMENT
 WallMax**
 White Cement Wall Putty

Manufacturing Units at :
 Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
 Jharli (Haryana) | Kotni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)



Registered Office : 🏢 Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ 91-512-2399854 🌐 www.jkcement.com

Annexure- III
J. K. CEMENT LIMITED, BALASINOR
AMBIENT NOISE LEVEL MONITIORNG RESULT FOR THE FY: 2023-24

Unit: dB(A)

MONTH	Near STP Plant Eastern Boundary		Near Project Office, North Direction		Near Security Tower, South Direction	
	Day	Night	Day	Night	Day	Night
Apr-23	61	54	62	51	60	52
May-23	61	53	64	54	62	52
Jun-23	61	54	62	55	60	54
Jul-23	61	54	62	51	60	52
Aug-23	61	53	64	54	62	52
Sep-23	61	54	62	55	60	54
Oct-23	61	53	61	50	62	51
Nov-23	62	54	62	52	61	50
Dec-23	62	51	61	52	61	50
Jan-24	67	59	65	58	64	55
Feb-24	64	56	71	64	66	53
Mar-24	68	54	73	65	67	54
Average	62.5	54.1	64.1	55.1	62.1	52.4

Corporate Office

 📍 Padam Tower, 19 DDA Community Centre
 Okhla, Phase - 1, New Delhi - 110020, India
 ☎ +011-49220000
 ✉ admin.padamtower@jkcement.com
 🌐 www.jkcement.com

**JK SUPER
CEMENT**
 BUILD SAFE

**JK CEMENT
WallMax**
 Whole Cement Way Duty

 Manufacturing Units at :
 Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
 Jharti (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)


Registered Office : 📍 Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ 91-512-2399854 🌐 www.jkcement.com

